

MONO CRYSTALLINE HALF-CUT BIFACIAL MODULE

530 / 535 / 540 / 545 / 550 Watts





Overview

Ground breaking technology; higher power output, improved system performance - the ideal solution for end users who want a fast turnaround on their investments. A fully certified premium quality and high efficiency module made with A Grade materials.

Key Benefits



Certified by Independent Engineering Bodies



Product Liability Insurance



Ultra High Power Output




25 Years Limited Product Warranty



Low Resistive Losses



Higher Light Conversion





Guaranteed mechanical resistance to severe weather conditions



Positive Tolerance




100 % electroluminescence tested

Tests, Certifications and Warranties

| Standard Tests | IEC 61215, IEC 61730 |
|--------------------------------|---|
| Factory Quality Tests | ISO 9001: 2015, ISO 14001: 2015 |
| Certifications | Conformity to CE, PV CYCLE Fire safety Class C according to UL790 |
| Insurance | Third party liability insurance provided by Liberty Mutual |
| Wind and Snow Loads Testing | Module certified to withstand extreme wind (2400 Pascal) and snow loads (5400 Pascal) |
| Withstanding Hail | Maximum Diameter of 25 mm with impact speed of 23 m/s |
| Power Tolerance | Guaranteed +0/+5W (STC condition) |
| Warranties | 25-year limited product warranty 15-year manufacturer warranty on 91.70% of the nominal performance 30-year transferable linear power output warranty |

Linear Performance Warranty



First Year Output

≥ 98%

2-30 Year Decline

≤ 0.45%

30 Year Output

≥ 84.95%



Panther

MONO CRYSTALLINE HALF-CUT BIFACIAL MODULE

RCM-xxx-7BMF (xxx=530-550)

Electrical Characteristics

| POWER CLASS (1) | | | 530 | | 535 | | 540 | | 545 | | 550 | |
|------------------------|------------|------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Testing Condition | | | STC | NMOT | STC | NMOT | STC | NMOT | STC | NMOT | STC | NMOT |
| Maximum Power | Pmax | [Wp] | 530 | 394,0 | 535 | 397,7 | 540 | 401,4 | 545 | 405,1 | 550 | 408,9 |
| Maximum Power Voltage | Vmp | [V] | 41,44 | 38,46 | 41,60 | 38,62 | 41,76 | 38,78 | 41,93 | 38,93 | 42,10 | 39,09 |
| Maximum Power Current | Imp | [A] | 12,79 | 10,25 | 12,84 | 10,30 | 12,93 | 10,35 | 13,00 | 10,41 | 13,06 | 10,46 |
| Open Circuit Voltage | Voc | [V] | 49,30 | 46,18 | 49,50 | 46,36 | 49,70 | 46,54 | 49,90 | 46,73 | 50,10 | 46,92 |
| Short Circuit Current | Isc | [A] | 13,65 | 10,89 | 13,74 | 10,97 | 13,83 | 11,05 | 13,92 | 11,13 | 14,01 | 11,20 |
| Module Efficiency | Eff | [%] | 20,50 | | 20,70 | | 20,89 | | 21,08 | | 21,28 | |
| Maximum Series Fuse | I R | [A] | 25 | | | | | | | | | |
| Maximum System Voltage | Vsys | [V] | 1500 V | | | | | | | | | |

⁽¹⁾ Measurement Tolerances: Pmax (\pm 3%), Isc & Voc (\pm 3%) - Power Classification 0/ \pm 5W

Bi Facial Output (4)


| POWER CLASS | | | 530 | | 535 | | 540 | | 545 | | 550 | |
|--------------------|-----|-----|-----------|---------|-----------|---------|-----------|---------|-----------|---------|-----------|---------|
| | | | Pmax [Wp] | Eff [%] |
| | +5 | [%] | 556,5 | 21,6 | 561,8 | 21,8 | 567,0 | 22,0 | 572,3 | 22,2 | 577,5 | 22,4 |
| Power | +10 | [%] | 583,0 | 22,6 | 588,5 | 22,9 | 594,0 | 23,1 | 599,5 | 23,3 | 605,0 | 23,5 |
| with Backside Gain | +15 | [%] | 609,5 | 23,7 | 615,3 | 23,9 | 621,0 | 24,1 | 626,8 | 24,3 | 632,5 | 24,6 |
| | +20 | [%] | 636,0 | 24.7 | 642,0 | 24.9 | 648,0 | 25,2 | 654,0 | 25,4 | 660,0 | 25,6 |
| | +25 | [%] | 662,5 | 25,7 | 6,886 | 26,0 | 675,0 | 26,2 | 681,3 | 26,4 | 687,5 | 26,7 |
| | +30 | [%] | 689,0 | 26,7 | 695,5 | 27,0 | 702,0 | 27,2 | 708,5 | 27,5 | 715,0 | 27,8 |

(4) Bifaciality Factor > 70% - Back-side power gain depends upon the specific project albedo - Efficiency is according to the surface of the module

Mechanical Data

| Dimensions | 2279mm x 1134mm x 35mm |
|--------------|--|
| Weight | 28,4 Kg |
| Cell Type | Mono Perc – 182mm x 91mm (2x72 Pcs) – M10 |
| Front Glass | 3.2mm Tempered and low iron glass + ARC |
| Rear Side | Anti-aging film (Clear) |
| Frame | Anodized Aluminium Alloy |
| Junction Box | IP68 - 3 Bypass Diodes |
| Connector | MC4 compatible |
| Output cable | 4.00mm ² - Length 350 mm or can be customized |


Dimensions



RECOM assumes no liability or responsibility for any typographical error, layout error, misinformation, any other error, omission, contained berein

I-V Curve

The module relative power loss at low light irradiance of 200W/m² is less than 3%.



Temperature Characteristics

| Pmax Temperature Coefficient | -0.35% / °C |
|---|--------------|
| Voc Temperature Coefficient | -0.285% / ºC |
| Isc Temperature Coefficient | +0.045% / °C |
| Operating Temperature | -40~+85 °C |
| Nominal Operating Module Temperature (NMOT) | 42 ± 2 °C |

Packing Configuration

| Container | 40'HC |
|-----------------------|-----------------------|
| Pieces per Pallet | 31 |
| Pallets per Container | 20 |
| Pieces per Container | $(31+31)\times10=620$ |

⁽²⁾ STC (Standard Testing Condition): Irrandiance 1000W/m², Cell Temperature 25°C, AM 1.5

⁽³⁾ NMOT (Nominal Operating Module Temperature): Irrandiance 800W/m², NMOT, Ambient Temperature 20°C, AM 1.5, Wind Speed 1m/s